Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	25	discover\$4 same (device or node or peripheral) same (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:42
L4	53	709/220,221,222.ccls. and (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:42
L5	28	(online or on?line) same (device or node or peripheral or unit) same (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:17
S1	7	(discover\$4) with device with (attach\$3 or connect\$3) with fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 14:09
S2	3	(discover\$4) with node with (attach\$3 or connect\$3) with fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 11:48
S3	17	(discover\$4) same (node or device) same (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 15:58
S4	148	(discover\$4) same (node or device) same (reactive)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 15:55
S5	7	(discover\$4) same (node or device) same (as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 15:58
S6	.4	(("5805924") or ("5944798") or ("6199112") or ("5941972")).PN.	USPAT; USOCR	OR	OFF	2004/08/03 14:22
S7	0	"5872932".pn. and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 15:48
S8	1	((discover\$4) same (node or device) same (reactive)) and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 14:04
S9	29	((discover\$4) same (node or device) same (reactive)) and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 15:58

S10	484	fabric with (topology or map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 16:01
<b>S11</b>	0	(fabric with (topology or map)) and (as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 15:59
S12 <sub>.</sub>	2	(fabric with (topology or map)) and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 16:01
S13	1326	fiber with (topology or map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 16:01
S14	14	(fiber with (topology or map)) and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 16:11
S15	35	(fiber near3 channel) and discover\$4 and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 14:06
S16	4703	fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 14:05
S17	26.	(fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)) and ((on-demand or ondemand or (on near demand)) or (as-needed or (as near needed) or asneeded))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 15:54
S18	7	((fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)) and ((on-demand or ondemand or (on near demand)) or (as-needed or (as near needed) or asneeded) )) and (discover\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 15:53
S19	13	(fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)) and 709/220,221,222.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:17
S20	6298	(configur\$6 near5 (database or repositor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:38
S21	201	((configur\$6 near5 (database or repositor\$4))) and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:19

S22	69	(((configur\$6 near5 (database or repositor\$4))) and fabric ) and (online or on-line or awake or wake)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:20
S23	58	((((configur\$6 near5 (database or repositor\$4))) and fabric ) and (online or on-line or awake or wake)) and ((device or node or unit or element) near4 configur\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:39
S24	58	((((configur\$6 near5 (database or repositor\$4))) and fabric ) and (online or on-line or awake or wake)) and ((device or node or unit or element or peripheral) near4 configur\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:47
S25	2	discover\$4 with (device or node or peripheral) with (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:49
S26	30	configur\$6 with (device or node or peripheral) with (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:51
S27	23	discover\$4 same (device or node or peripheral) same (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:57
S28	51	709/220,221,222.ccls. and (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 10:23
S29	2	(("5872932") or ("5689645")).PN.	USPAT; USOCR	OR	OFF	2004/08/05 14:06
S30	2	((("5872932") or ("5689645")).PN.) and configur\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:07
S31	2	"5872932".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 09:27
S32	1166	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4 or notif\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 11:57

S33	632	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 12:01
S34	112	((delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4 )) with (use\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2004/08/06 11:58
S35	19	((delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4 )) with (using or use)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 11:58
S36	5	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with node with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 12:02
S37	462	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with device with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 12:19
S38	1357	709/220,221,222.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:54
S39	111	709/220,221,222.ccls. and (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 12:21
S40	4203	(device or node or peripheral) with (use or using or used) with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 12:21
S41	78	Reboot same default same configur\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:34
S42	9	709/220,221,222.ccls. and (Reboot same default same configur\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:25
S43	0	reboot with restore with default with configur\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:32

S44	30	Reboot with default with configur\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:49
S45	2	(alternate with available with device) with list	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:51
S46	2	(alternate with available with device) with database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:51
S47	316	alternate with available with device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:58
S48	0	709/220,221,222.ccls. and (alternate with available with device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:54
S49	3	(alternate with available with device) with secondary	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:55
S50	196	backup with available with device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:58
·S51	14	(backup with available with device) with (list or database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 13:58
S58	14	(backup with available with device) with (list or database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:37
S59	3	(alternate with available with device) with secondary	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:38
S60	2	(alternate with available with device) with database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:38
S61	28	(online or on?line) same (device or node or peripheral or unit) same (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:37